

Lucentia Glob Series





Voltage (vAC)

120

Power (W/m)

Luminous flux (lm/m)

250

Diameter (mm)

300

	CUINC				
Ō				TT-GLOB-15006 Page	e 8
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	5,5	320	125	
				TT-GLOB-15008 Page	
Ō	W. (40)	D (11/1)	Y		
	Voltage (vAC)	Power (W/m) 5,5	Luminous flux (lm/m) 320	Diameter (mm)	
	120	3,3	320	200	
Õ				TT-GLOB-15042 Page	∍10
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	5	290	100	
				TT-GLOB-15043 Page	= 11
•	V-1 (AC)	De la (IV/a)	Luminous flux (lm/m)		
	Voltage (vAC)	Power (W/m) 5,5	Luminous flux (lm/m) 320	Diameter (mm)	
	120	5,5	320	200	
•				TT-GLOB-15052 Page	e 12
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	5,5	230	125	
				TT CLOD 15000 Page	
•				TT-GLOB-15030 Page	
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	5,5	550	150	
Õ				TT-GLOB-15056 Page	e 14
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	5,5	230	125	
				_	
•				TT-GLOB-15058 Page	e 15
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	5	230	200	
				TT-GLOB-15060 Page	e 16
				11 OLOB-10000 ·	



Ď		TT-GLOB-	15070	Page 17

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5,5	230	125



TT-GLOB-15071 Page 18

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5,5	230	200



TT-GLOB-15073 Page 19

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5,5	320	125



TT-GLOB-15075 Page 20

•				
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
	120	5,5	320	200



TT-GLOB-15076 Page 21

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5,5	320	125



TT-GLOB-15078 Page 22

~			
Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5,5	320	200



TT-GLOB-15079 Page 23

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5	340	300



TT-GLOB-15031 Page 24

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5,5	550	150



TT-GLOB-15053 Page 25

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
110	5,5	550	90





				TT-GLOB-15054	Dage 26
Ō	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	, age EU
	110	5,5	550	90	
		2,2		7.0	
Ō				TT-GLOB-15080	Page 27
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	-	125	
				TT CLOD 15001	Dago 29
Ō				TT-GLOB-15081	ruge 20
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	-	150	
				TT-GLOB-15060	Page 29
•	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	500	-	
Ō				TT-GLOB-15062	Page 30
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	550	-	
Ō				TT-GLOB-15063	Page 31
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	550	-	
				TT CLOD 1500 1	D 00
Ō	W.b. (: 0)	D 200		TT-GLOB-15064	rage 32
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	550	-	
Ō				TT-GLOB-15065	Page 33
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	550	-	
				TT CLOD 15000	Dago 24
•	***			TT-GLOB-15066	rage 34
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	550	-	



•			TT-GLOB-15067 Page 35	
Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
110	5,5	550	-	
				
ā			TT-GLOB-15068 Page 36	
Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
110	5,5	550	-	
•			TT-GLOB-15069 Page 37	
Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	(4. 3)
110	5,5	550	90	
			TT-GLOB-10135 Page 38	T
Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)	
120	57 max.	1 x E26	-	•
				N - 0
			TT-GLOB-10164 Page 39	
Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)	
120	57 max.	3 x E26	-	
				Λ Λ
			TT-GLOB-10165 Page 40	
Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)	
120	57 max.	5 x E26	-	
				Λ Λ
			TT-GLOB-10166 Page 41	
Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)	
120	57 max.	7 x E26	-	
			TT-GLOB-10167 Page 42	
Valta an (nAC)	Power (W/m)	Co alvat tom a		
Voltage (vAC)	57 max.	Socket type 3 x E26	Diameter (mm)	
120	37 max.	J X 120		
			TT-GLOB-10168 Page 43	
Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)	

120

57 max.

5 x E26



TT-GLOB-10170 Page 44

Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)
120	57 max.	3 x E26	-

TT-GLOB-10173 Page 45

Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)
120	57 max.	5 x E26	-

TT-GLOB-10176 Page 46

Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)
120	57 max.	9 x E26	-









 The 125 glass bulb from the Lucentia series evokes elegance and simplicity. A bubble of clear glass, symbol of purity, delicately envelops innovative technology. Her LED ring diffuses a warm 2200K light, offering a soft and welcoming atmosphere. With its E26 type tip, it integrates easily to any type of light fixture, bringing a contemporary touch to any space.

Lucentia: enhanced lighting.

Voltage	120vAC
Power	5.5w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	165mm (6 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15006







The 200 glass bulb from the Lucentia series evokes elegance and simplicity. A bubble of clear glass, symbol of purity, delicately envelops innovative technology. Her LED ring diffuses a warm 2200K light, offering a soft and welcoming atmosphere. With its E26 type tip, it integrates easily to any type of light fixture, bringing a contemporary touch to any space.

Lucentia: enhanced lighting.

Voltage	120vAC
Power	5.5w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	200mm (7 ⁷ / ₈ ")
Height	230mm (9")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15008







The R80 glass bulb from the Lucentia series evokes elegance and simplicity. A bubble of clear glass, symbol of purity, delicately envelops innovative technology. Her LED ring diffuses a warm 2200K light, offering a soft and welcoming atmosphere. With its E26 type tip, it integrates easily to any type of light fixture, bringing a contemporary touch to any space.

Lucentia: enhanced lighting.

Voltage	120vAC
Power	5w
Dimmable	Yes
Lumen	290
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	80 mm (3 ¹ / ₈ ")
Height	100 mm (4")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15042





The R200 glass bulb from the Lucentia series evokes elegance and simplicity. A bubble of clear glass, symbol of purity, delicately envelops innovative technology. Her LED ring diffuses a warm 2200K light, offering a soft and welcoming atmosphere. With its E26 type tip, it integrates easily to any type of light fixture, bringing a contemporary touch to any space.

Lucentia: enhanced lighting.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	200 mm (7 ⁷ / ₈ ")
Height	110 mm (4 ¹ / ₄ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15043







The Lucentia series evokes timeless elegance in a bulb. A bubble of interior smoked glass 125, delicate and captivating, captures imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	230
Kelvin	1900K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	115mm (4 ¹ / ₂ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15052







The Lucentia series evokes timeless elegance in a bulb. A bubble of interior smoked glass 125, delicate and captivating, captures imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	1900K
Angle	45°
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	150mm (5 ⁷ / ₈ ")
Height	200mm (7 ⁷ / ₈ ")

тт	-	SERIE	-	MODEL
TT	-	GLOB	-	15030







The Lucentia series evokes timeless elegance in a lightbulb. A bubble of smoked glass 125, delicate and mesmerizing, capture imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	230
Kelvin	1900K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	165mm (6 ½")

TT	_	SERIE	-	MODEL
TT	-	GLOB	-	15056







The Lucentia series evokes timeless elegance in a lightbulb. A bubble of smoked glass 200, delicate and mesmerizing, capture imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space.

Voltage	120vAC
Power	5w
Dimmable	Yes
Lumen	230
Kelvin	1900K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	200mm (7 ⁷ / ₈ ")
Height	230mm (9")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15058







The Lucentia series evokes timeless elegance in a lightbulb. A bubble of smoked glass 300, delicate and mesmerizing, capture imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space.

Voltage	120vAC
Power	6w
Dimmable	Yes
Lumen	250
Kelvin	1900K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	300mm (11 ³/₄")
Height	320mm (12 ⁵/₃")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15060







The Lucentia series evokes timeless elegance in a lightbulb. A bubble of smoked glass 125 twisted, delicate and captivating, capture imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space.

Voltage	120vAC
Power	5.5w
Dimmable	Yes
Lumen	230
Kelvin	1900K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	165mm (6 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15070







The Lucentia series evokes timeless elegance in a lightbulb. A bubble of smoked glass 200 twisted, delicate and captivating, capture imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	230
Kelvin	1900K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	200mm (7 ⁷ / ₈ ")
Height	230mm (9")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15071







The Lucentia series redefines luminous elegance with its masterpiece: the glass bulb. A 125 line gilded glass bubble, symbol of refinement, capturing the radiance of the setting sun. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	165mm (6 ¹/₂")

тт	-	SERIE	-	MODEL
TT	-	GLOB	-	15073







The Lucentia series redefines luminous elegance with its masterpiece: the glass bulb. A 200 line gilded glass bubble, symbol of refinement, capturing the radiance of the setting sun. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	200mm (7 ⁷ / ₈ ")
Height	230mm (9")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15075







The Lucentia series redefines luminous elegance with its masterpiece: the glass bulb. A 125 golden glass bubble, symbol of refinement, capturing the radiance of the sun setting. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	55w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	165mm (6 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15076







The Lucentia series redefines luminous elegance with its masterpiece: the glass bulb. A 200 golden glass bubble, symbol of refinement, capturing the radiance of the sun setting. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	200mm (7 ⁷ / ₈ ")
Height	230mm (9")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15078







The Lucentia series redefines luminous elegance with its masterpiece: the glass bulb. A 300 golden glass bubble, symbol of refinement, capturing the radiance of the sun setting. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	5w
Dimmable	Yes
Lumen	340
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	300mm (11 ³/₄")
Height	320mm (12 ⁵/₃")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15079







The Lucentia series redefines luminous elegance with its masterpiece: the glass bulb. A 150 golden glass bubble, symbol of refinement, capturing the radiance of the sun setting. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	1900K
Angle	45°
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	150mm (5 ⁷ / ₈ ")
Height	200mm (7 ⁷ / ₈ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15031







The Lucentia series redefines luminous elegance with its frosted glass bulb. Symbol of refinement, she captures the softness of the sun setting. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	90mm (3 ⁹ / ₁₆ ")
Height	210mm (8 ¹ / ₄ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15053







The Lucentia series redefines luminous elegance with its frosted glass bulb. Symbol of refinement, she captures the softness of the sun setting. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	90mm (3 ⁹ / ₁₆ ")
Height	210mm (8 ¹ / ₄ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15054







The Lucentia series evokes timeless elegance with its deep black bulb. At its center, a ring of LEDs with a captivating warmth of 2200K. This bulb provides soft light and enveloping, perfect for creating a soothing atmosphere. The E26 type tip offers universal compatibility, allowing this bulb to blend seamlessly into any space.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	165mm (6 ½")

тт	-	SERIE	-	MODEL
TT	-	GLOB	-	15080







The Lucentia series evokes timeless elegance with its deep black bulb. At its center, a ring of LEDs with a captivating warmth of 2200K. This bulb provides soft light and enveloping, perfect for creating a soothing atmosphere. The E26 type tip offers universal compatibility, allowing this bulb to blend seamlessly into any space.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	150mm (5 ⁷ / ₈ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15081







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	500
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15060







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15062







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	500
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15063







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15064







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	500
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15065







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15066







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	500
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15067







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15068







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	500
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15069






Discover the canopy, a essential element of the Lucentia series. Measuring 3 meters in length, it can be adjusted according to your needs. Equipped with an E26 neck compatible with bulbs from the series, it combines functionality and aesthetics to illuminate your space with elegance.

Voltage	120vAC
Power	57w max.
Socket Type	1 x E26
Cable Type	1 x 3m
Colour	Black
Canopy Size	Ø120mm x 25mm (4 ³/₄" x 1")
Socket Size	Ø50mm x 80mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10135






The beautiful three-branched canopy from the Lucentia series offers timeless elegance. With a length of 3 meters, it easily adapts to any space. Its adjustable design allows for optimal flexibility. Finished with an E26 neck, it gracefully accommodates the series' bulbs, adding a touch of sophistication to every room.

Voltage	120vAC
Power	57w max.
Socket Type	3 x E26
Cable Type	3 x 3m
Colour	Black
Canopy Size	Ø120mm x 25mm (4 ³/₄" x 1")
Socket Size	Ø50mm x 80mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10164






Discover the magnificent canopy five-pointed series Lucentia. Measuring 3 meters in length, it adapts perfectly to your needs thanks to its adjustability. Its elegant design ends with an E26 neck compatible with bulbs in the series. A perfect combination of functionality and aesthetics to illuminate your space with style.

Voltage	120vAC
Power	57w max.
Socket Type	5 x E26
Cable Type	5 x 3m
Colour	Black
Canopy Size	Ø120mm x 25mm (4 ³/₄" x 1")
Socket Size	Ø50 x 80 mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10165





The seven-branched canopy of the Lucentia series offers contemporary elegance. With its 3 meters of adjustable length, it adapts perfectly to any space. Its minimalist design highlights every detail. Finished with an E26 neck, it easily accepts bulbs from the series, illuminating your interior with style.

Voltage	120vAC
Power	57w max.
Socket Type	7 x E26
Cable Type	7 x 3m
Colour	Black
Canopy Size	Ø120mm x 25mm (4 ³/₄" x 1")
Socket Size	Ø50 x 80 mm (Ø 2" x 3 ½")

тт	-	SERIE	-	MODEL
TT	-	GLOB	-	10166





The Lucentia series offers a rectangular canopy with three branches 3 meters long, adjustable according to needs. Its elegant design ends with an E26 neck compatible with the bulbs of the series, offering a luminous solution versatile and aesthetic for any space.

Voltage	120vAC
Power	57w max.
Socket Type	3 x E26
Cable Type	3 x 1,5m
Colour	Black
Canopy Size	990mm x 150mm x 25mm (39" x 5 ⁷ / ₈ " x 1")
Socket Size	Ø50 x 80 mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10167





The rectangular canopy with five branches from the Lucentia series offers contemporary elegance. Measuring 3 meters long, it easily adapts to various spaces. Its E26 neck allows the use of compatible bulbs, thus harmonizing the lighting with the style of the series. Its adjustability ensures an arrangement perfect as needed.

Voltage 120vAC	
voltage	
Power 57w max.	
Socket Type 5 x E26	
Cable Type 5 x 1,5m	
Colour Black	
Canopy Size 990mm x 150mm x 25mm (39" x 5 ⁷ / ₈ "	× 1")
Socket Size Ø50 x 80 mm (Ø 2" x 3 ½")	

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10168





Discover the superb square canopy with three branches from the Lucentia series. With its 3 meters of adjustable length according to your needs, it offers unparalleled elegance and functionality. Featuring an E26 neck compatible with series bulbs, it will illuminate your space with style and sophistication.

Voltage	120vAC
Power	57w max.
Socket Type	3 x E26
Cable Type	3 x 1,5m
Colour	Black
Canopy Size	325 x 325 x 25mm (12 ³/4" x 12 ³/4" x 1")
Socket Size	Ø50 x 80 mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10170





The square canopy with five branches of the series Lucentia offers contemporary elegance. Measuring 3 meters long, it easily adjusts according to the needs. Its modern design is completed with an E26 neck, compatible with bulbs in the range. A perfect fusion of functionality and style for any space.

Voltage	120vAC
Power	57w max.
Socket Type	5 x E26
Cable Type	5 x 1,5m
Colour	Black
Canopy Size	325 x 325 x 25mm (12 ³/₄" x 12 ³/₄" x 1")
Socket Size	Ø50 x 80 mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10173





Discover the magnificent nine-branched square canopy from the Lucentia series. Measuring 3 meters long, it adapts to your needs thanks to its flexible adjustment. Its elegant design ends with an E26 neck compatible with bulbs in the series. A perfect fusion of functionality and contemporary aesthetics.

Voltage	120vAC
Power	57w max.
Socket Type	9 x E26
Cable Type	9 x 1,5m
Colour	Black
Canopy Size	325 x 325 x 25mm (12 ³/4" x 12 ³/4" x 1")
Socket Size	Ø50 x 80 mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10176



TITANIUM TECHNOLOGY

2323, boulevard Versant Nord #111 Québec, QC G1N 4P4 CANADA

Toll free (866)-476-8115 www.titaniumtechnology.com sales@titaniumtechnology.com www.facebook.com/titaniumtechnologie

TITANIUM TECHNOLOGY USA

NEWARK DE 19713

Toll free (866)-476-8115 ext.203 www.titaniumtechnology.com sales@titaniumtechnology.com www.facebook.com/titaniumtechnologie