

Lucentia Glob Series





Voltage (vAC)

120

Power (W/m)

Luminous flux (lm/m)

250

Diameter (mm)

300

	ECHNC	JLUGY ——			
Ċ					
Ō				TT-GLOB-15006 Page 9	
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	5,5	320	125	
				TT CLOB 15000 Preside	
Ō				TT-GLOB-15008 Page 10	
	Voltage (vAC)	Power (W/m) 5,5	Luminous flux (lm/m) 320	Diameter (mm)	
	120	5,5	320	200	
Õ				TT-GLOB-15042 Page 11	
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	5	290	100	
				TT-GLOB-15043 Page 12	_
•	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	5,5	320	200	
		.,			
•				TT-GLOB-15052 Page 13	
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	5,5	230	125	
				TT-GLOB-15030 Page 14	1
•	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	6	550	150	
Ō				TT-GLOB-15056 Page 15	
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	5,5	230	125	
				TT-GLOB-15058 Page 16	
•	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	120	5 5	230	200	
•				TT-GLOB-15060 Page 17	



Ō			TT-GLOB-15070 Page 18
Volta	ge (vAC) Power (W/m)	Luminous flux (lm/m)	Diameter (mm)

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5,5	230	125



TT-	GL	OB	-15	071	Page 19
-----	----	----	-----	-----	---------

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5,5	230	200



TT-GLOB-15073 Page 20

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5,5	320	125



TT-GLOB-15075 Page 21

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5,5	320	200



TT-GLOB-15076 Page 22

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5,5	320	125



TT-GLOB-15078 Page 23

~			
Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	5,5	320	200



TT-GLOB-15079 Page 24

Ì	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
	120	5	340	300



TT-GLOB-15031 Page 25

,				
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
	120	4,5	300	150



TT-GLOB-15453 Page 26

Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
110	5,5	550	90
110	5,5	330	90





Ō				TT-GLOB-15454 Page 27	.
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	550	90	
_				TT-GLOB-15580 Page 28	
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	_	125	
		-,-			
Õ				TT-GLOB-15581 Page 29	
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	-	150	
				TT-GLOB-15460 Page 30	
	W. b. (40)	D (11/1)	r : 0 0 1)		
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	500		
					•
_				TT-GLOB-15462 Page 31	
•	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	550	-	
		- 7			
Ō				TT-GLOB-15463 Page 32	///
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
	110	5,5	550	-	
					P
Ō				TT-GLOB-15464 Page 33	(4)
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	Y
	110	5,5	550	-	
					•
Ō				TT-GLOB-15465 Page 34	
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	Ť
	110	5,5	550	-	
					•
				TT CLOD 15 400 Dec 25	
•				TT-GLOB-15466 Page 35	
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	Ť
	110	5,5	550	-	I



				TT-GLOB-15467
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
	110	5,5	550	-
_				TT-GLOB-15468
Ō	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
	110	5,5	550	-
		-,-		
				TT-GLOB-15469
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
	110	5,5	550	90
	110	3,5	330	20
_				TT-GLOB-MR1
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
	120	5	320	180
	120	3	320	100
				TT-GLOB-AR1
•	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
	120	Fower (W/III)	320	180
	120	5	520	180
				TT-GLOB-BR1
	** 1			
	Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
	120	5	270	180

TT-GLOB-F1 Page 42

Diameter (mm)

35







Õ			TT-GLOB-F4 Page 43
Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	0.2		35

Luminous flux (lm/m)

Ō			TT-GLOB-T2 Page 44
Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)
120	0,8	-	60

Voltage (vAC)

Power (W/m)

0,2



120

57 max.

3 x E26

IECHNO	ハ し ハしっ ۲			
12011110				
•			TT-GLOB-T7 Page 45	
Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	412
120	1	-	125	
				•
				•
Ō			TT-GLOB-T8 Page 46	Ŷ
Voltage (vAC)	Power (W/m)	Luminous flux (lm/m)	Diameter (mm)	
120	1	-	125	913
			TT-GLOB-10135 Page 47	•
V. I. (40)	D (11/1)	0.1		
Voltage (vAC)	Power (W/m) 57 max.	Socket type 1 x E26	Diameter (mm)	
120	37 max.	1 X L20		
			TT-GLOB-10164 Page 48	
Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)	
120	57 max.	3 x E26	-	
				•
				Λ Λ
			TT-GLOB-10165 Page 49	
Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)	
120	57 max.	5 x E26	-	
				-
			TT-GLOB-10166 Page 50	
Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)	
120	57 max.	7 x E26	-	1 1 1
	-			
			TT-GLOB-10167 Page 51	
Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)	
120	57 max.	3 x E26	-	
			TT-GLOB-10168 Page 52	
Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)	
120	57 max.	5 x E26	-	
				1111
			TT CLOP 10170	
W.F. (CO)	p. (07)	c 1 · ·	TT-GLOB-10170 Page 53	
Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)	



TT-GLOB-10173 Page 54

Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)
120	57 max.	5 x E26	-

TT-GLOB-10176 Page 55

Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)
120	57 max.	9 x E26	-

TT-GLOB-99996 Page 56

Voltage (vAC)	Power (W/m)	Socket type	Diameter (mm)
120	20 max.	1 x E26	-











The 125 glass bulb from the Lucentia series evokes elegance and simplicity. A bubble of clear glass, symbol of purity, delicately envelops innovative technology. Her LED ring diffuses a warm 2200K light, offering a soft and welcoming atmosphere. With its E26 type tip, it integrates easily to any type of light fixture, bringing a contemporary touch to any space.

Lucentia: enhanced lighting.

Voltage	120vAC
Power	5.5w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	165mm (6 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15006







The 200 glass bulb from the Lucentia series evokes elegance and simplicity. A bubble of clear glass, symbol of purity, delicately envelops innovative technology. Her LED ring diffuses a warm 2200K light, offering a soft and welcoming atmosphere. With its E26 type tip, it integrates easily to any type of light fixture, bringing a contemporary touch to any space.

Lucentia: enhanced lighting.

Voltage	120vAC
Power	5.5w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	200mm (7 ⁷ / ₈ ")
Height	230mm (9")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15008







The R80 glass bulb from the Lucentia series evokes elegance and simplicity. A bubble of clear glass, symbol of purity, delicately envelops innovative technology. Her LED ring diffuses a warm 2200K light, offering a soft and welcoming atmosphere. With its E26 type tip, it integrates easily to any type of light fixture, bringing a contemporary touch to any space.

Lucentia: enhanced lighting.

Voltage	120vAC
Power	5w
Dimmable	Yes
Lumen	290
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	80 mm (3 ¹ / ₈ ")
Height	100 mm (4")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15042





The R200 glass bulb from the Lucentia series evokes elegance and simplicity. A bubble of clear glass, symbol of purity, delicately envelops innovative technology. Her LED ring diffuses a warm 2200K light, offering a soft and welcoming atmosphere. With its E26 type tip, it integrates easily to any type of light fixture, bringing a contemporary touch to any space.

Lucentia: enhanced lighting.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	200 mm (7 ⁷ / ₈ ")
Height	110 mm (4 ¹ / ₄ ")

TT	-	SERIE		MODEL
TT	-	GLOB	-	15043







The Lucentia series evokes timeless elegance in a bulb. A bubble of interior smoked glass 125, delicate and captivating, captures imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	230
Kelvin	1900K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	115mm (4 ¹ / ₂ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15052







The Lucentia series evokes timeless elegance in a bulb. A bubble of interior smoked glass 125, delicate and captivating, captures imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space.

Voltage	120vAC
Power	6w
Dimmable	Yes
Lumen	550
Kelvin	1900K
Angle	45°
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	150mm (5 ⁷ / ₈ ")
Height	200mm (7 ⁷ / ₈ ")

тт	-	SERIE	-	MODEL
TT	-	GLOB	-	15030







The Lucentia series evokes timeless elegance in a lightbulb. A bubble of smoked glass 125, delicate and mesmerizing, capture imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	230
Kelvin	1900K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	165mm (6 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15056







The Lucentia series evokes timeless elegance in a lightbulb. A bubble of smoked glass 200, delicate and mesmerizing, capture imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space.

Voltage	120vAC
Power	5w
Dimmable	Yes
Lumen	230
Kelvin	1900K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	200mm (7 ⁷ / ₈ ")
Height	230mm (9")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15058







The Lucentia series evokes timeless elegance in a lightbulb. A bubble of smoked glass 300, delicate and mesmerizing, capture imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space.

Voltage	120vAC
Power	6w
Dimmable	Yes
Lumen	250
Kelvin	1900K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	300mm (11 ³/₄")
Height	320mm (12 ⁵ / ₈ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15060







The Lucentia series evokes timeless elegance in a lightbulb. A bubble of smoked glass 125 twisted, delicate and captivating, capture imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space.

Voltage	120vAC
Power	5.5w
Dimmable	Yes
Lumen	230
Kelvin	1900K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	165mm (6 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15070







The Lucentia series evokes timeless elegance in a lightbulb. A bubble of smoked glass 200 twisted, delicate and captivating, capture imagination with its mysterious brilliance. At the heart of this beauty lies a ring of LEDs, emitting a glow warm and comforting 1900K. E26 type tip provides compatibility universal, allowing this light bulb melting harmoniously in any space

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	230
Kelvin	1900K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	200mm (7 ⁷ / ₈ ")
Height	230mm (9")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15071







The Lucentia series redefines luminous elegance with its masterpiece: the glass bulb. A 125 line gilded glass bubble, symbol of refinement, capturing the radiance of the setting sun. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	165mm (6 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15073







The Lucentia series redefines luminous elegance with its masterpiece: the glass bulb. A 200 line gilded glass bubble, symbol of refinement, capturing the radiance of the setting sun. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

120vAC
5,5w
Yes
320
2200K
90
20 000 Hours
E26
200mm (7 ⁷ / ₈ ")
230mm (9")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15075







The Lucentia series redefines luminous elegance with its masterpiece: the glass bulb. A 125 golden glass bubble, symbol of refinement, capturing the radiance of the sun setting. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	55w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	165mm (6 ¹ / ₂ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15076







The Lucentia series redefines luminous elegance with its masterpiece: the glass bulb. A 200 golden glass bubble, symbol of refinement, capturing the radiance of the sun setting. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	5,5w
Dimmable	Yes
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	200mm (7 ⁷ / ₈ ")
Height	230mm (9")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15078







The Lucentia series redefines luminous elegance with its masterpiece: the glass bulb. A 300 golden glass bubble, symbol of refinement, capturing the radiance of the sun setting. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	5w
Dimmable	Yes
Lumen	340
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	300mm (11 ³/₄")
Height	320mm (12 ⁵ / ₈ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15079







The Lucentia series redefines luminous elegance with its masterpiece: the glass bulb. A 150 golden glass bubble, symbol of refinement, capturing the radiance of the sun setting. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	4,5w
Dimmable	Yes
Lumen	300
Kelvin	2200K
Angle	45°
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	150mm (5 ⁷ / ₈ ")
Height	200mm (7 ⁷ / ₈ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15031







The Lucentia series redefines luminous elegance with its frosted glass bulb. Symbol of refinement, she captures the softness of the sun setting. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	90mm (3 ⁹ / ₁₆ ")
Height	210mm (8 ¹ / ₄ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15453







The Lucentia series redefines luminous elegance with its frosted glass bulb. Symbol of refinement, she captures the softness of the sun setting. At its heart, a delicate ring of LEDs of exquisite warmth at 2200K, providing soft light and enveloping, perfect for creating a soothing atmosphere. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia not only illuminates spaces, but also minds, creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	90mm (3 ⁹ / ₁₆ ")
Height	210mm (8 ¹ / ₄ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15454







The Lucentia series evokes timeless elegance with its deep black bulb. At its center, a ring of LEDs with a captivating warmth of 2200K. This bulb provides soft light and enveloping, perfect for creating a soothing atmosphere. The E26 type tip offers universal compatibility, allowing this bulb to blend seamlessly into any space.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	125mm (4 ⁷ / ₈ ")
Height	165mm (6 ½")

тт	-	SERIE	-	MODEL
TT	-	GLOB	-	15580







The Lucentia series evokes timeless elegance with its deep black bulb. At its center, a ring of LEDs with a captivating warmth of 2200K. This bulb provides soft light and enveloping, perfect for creating a soothing atmosphere. The E26 type tip offers universal compatibility, allowing this bulb to blend seamlessly into any space.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26
Diameter	150mm (5 ⁷ / ₈ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15581







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	500
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15460







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15462







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	500
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15463







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15464







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	500
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15465







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15466







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	500
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15467







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	550
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15468







The Lucentia series redefines luminous elegance with its masterpiece: the light bulb in the form of drinking glasses. His creativity will make any space attractive and mysterious. At its heart, a delicate ring of exquisitely warm LEDs at 2200K, providing a soft, enchantress. Its E26 type tip ensures easy installation in any compatible light fixture. Lucentia illuminates the spirits creating an atmosphere of pure magic in every room.

Voltage	110vAC
Power	5,5w
Dimmable	Yes
Lumen	500
Kelvin	2200K
CRI	90
Lifetime	20 000 Hours
Socket Type	E26

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	15469



TT-GLOB-MR1



The Lucentia series evokes timeless elegance with its deep black metal bulb. At its center is a captivatingly warm 2200K LED ring. This bulb provides a soft, enveloping light, perfect for creating a soothing ambiance. The E26 base offers universal compatibility, allowing this bulb to blend seamlessly into any space.

Voltage	120vAC
Power	5w
Gradable	Oui
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	15 000 Hours
Diameter	180mm (7 ¹ / ₈ ")
Height	200mm (7 ⁷ / ₈ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	MR1



TT-GLOB-AR1



The Lucentia series evokes timeless elegance with its deep black metal bulb. At its center is a captivatingly warm 2200K LED ring. This bulb provides a soft, enveloping light, perfect for creating a soothing ambiance. The E26 base offers universal compatibility, allowing this bulb to blend seamlessly into any space.

Voltage	120vAC
Power	5w
Gradable	Oui
Lumen	320
Kelvin	2200K
CRI	90
Lifetime	15 000 Hours
Diameter	180mm (7 ¹ / ₈ ")
Height	200mm (7 ⁷ / ₈ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	AR1



TT-GLOB-BR1



The Lucentia series evokes timeless elegance with its unique bamboo bulb. At its center is a ring of captivatingly warm 2200K LEDs. This bulb provides a soft, enveloping light, perfect for creating a soothing ambiance. The E26 base offers universal compatibility, allowing this bulb to blend seamlessly into any space.

Voltage	120vAC
Power	5w
Gradable	Oui
Lumen	270
Kelvin	2200K
CRI	90
Lifetime	15 000 Hours
Diameter	180mm (7 ¹/₅")
Height	200mm (7 ⁷ / ₈ ")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	BR1





The Lucentia series redefines luminous elegance with its masterpiece: the bulb that creates a vibrant, dancing flame effect. Its creativity will make any space attractive and mysterious. It delivers a soft 1800K light. Its E26 base ensures easy installation in any compatible fixture. Lucentia illuminates the mind, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	0,2w
Gradable	Oui
Kelvin	1800K
Lifetime	15 000 Hours
Diameter	35mm (1 ³/₅")
Height	95mm (3 ³/₄")
Socket type	E27

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	F1





The Lucentia series redefines luminous elegance with its masterpiece: the bulb that creates a vibrant, dancing flame effect. Its creativity will make any space attractive and mysterious. It delivers a soft 1800K light. Its E26 base ensures easy installation in any compatible fixture. Lucentia illuminates the mind, creating an atmosphere of pure magic in every room.

120vAC
0,2w
Yes
1800K
15 000 Hours
35mm (1 ³/₅")
110mm (4 ⁵ / ₁₆ ")
E27

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	F4





The Lucentia series redefines luminous elegance with its masterpiece: the frosted glass bulb that houses a vibrant, dancing flame at its center. Its creativity will make any space attractive and mysterious. It emits a soft 1800K light. Its E26 base ensures easy installation in any compatible fixture. Lucentia illuminates the mind, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	0,8w
Gradable	Yes
Kelvin	1800K
Lifetime	15 000 Hours
Diameter	60mm (2 ³ / ₈ ")
Height	108mm (4 ¹ / ₄ ")
Socket type	E27

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	T2





The Lucentia series redefines luminous elegance with its masterpiece: the smoked glass bulb that houses a vibrant, dancing flame at its center. Its creativity will make any space attractive and mysterious. It emits a soft 1800K light. Its E26 base ensures easy installation in any compatible fixture. Lucentia illuminates the mind, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	1w
Gradable	Oui
Kelvin	1800K
Lifetime	15 000 Hours
Diameter	125mm (4 ¹⁵ / ₁₆ ")
Height	160mm (6 ⁵ / ₁₆ ")
Socket type	E27

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	Т7





The Lucentia series redefines luminous elegance with its masterpiece: the smoked glass bulb that houses a vibrant, dancing flame at its center. Its creativity will make any space attractive and mysterious. It emits a soft 1800K light. Its E26 base ensures easy installation in any compatible fixture. Lucentia illuminates the mind, creating an atmosphere of pure magic in every room.

Voltage	120vAC
Power	1w
Gradable	Oui
Kelvin	1800K
Lifetime	15 000 Hours
Diameter	125mm (4 ¹⁵ / ₁₆ ")
Height	160mm (6 ⁵ /16")
Socket type	E27

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	Т8





Discover the canopy, a essential element of the Lucentia series. Measuring 3 meters in length, it can be adjusted according to your needs. Equipped with an E26 neck compatible with bulbs from the series, it combines functionality and aesthetics to illuminate your space with elegance.

Voltage	120vAC
Power	57w max.
Socket Type	1 x E26
Cable Type	1 x 3m
Colour	Black
Canopy Size	Ø120mm x 25mm (4 ³/₄" x 1")
Socket Size	Ø50mm x 80mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10135






The beautiful three-branched canopy from the Lucentia series offers timeless elegance. With a length of 3 meters, it easily adapts to any space. Its adjustable design allows for optimal flexibility. Finished with an E26 neck, it gracefully accommodates the series' bulbs, adding a touch of sophistication to every room.

Voltage	120vAC
Power	57w max.
Socket Type	3 x E26
Cable Type	3 x 3m
Colour	Black
Canopy Size	Ø120mm x 25mm (4 ³/₄" x 1")
Socket Size	Ø50mm x 80mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10164






Discover the magnificent canopy five-pointed series Lucentia. Measuring 3 meters in length, it adapts perfectly to your needs thanks to its adjustability. Its elegant design ends with an E26 neck compatible with bulbs in the series. A perfect combination of functionality and aesthetics to illuminate your space with style.

Voltage	120vAC
Power	57w max.
Socket Type	5 x E26
Cable Type	5 x 3m
Colour	Black
Canopy Size	Ø120mm x 25mm (4 ³/₄" x 1")
Socket Size	Ø50 x 80 mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10165





The seven-branched canopy of the Lucentia series offers contemporary elegance. With its 3 meters of adjustable length, it adapts perfectly to any space. Its minimalist design highlights every detail. Finished with an E26 neck, it easily accepts bulbs from the series, illuminating your interior with style.

Voltage	120vAC
Power	57w max.
Socket Type	7 x E26
Cable Type	7 x 3m
Colour	Black
Canopy Size	Ø120mm x 25mm (4 ³/₄" x 1")
Socket Size	Ø50 x 80 mm (Ø 2" x 3 ½")

т	-	SERIE	-	MODEL
тт	-	GLOB	-	10166






The Lucentia series offers a rectangular canopy with three branches 3 meters long, adjustable according to needs. Its elegant design ends with an E26 neck compatible with the bulbs of the series, offering a luminous solution versatile and aesthetic for any space.

Voltage	120vAC
Power	57w max.
Socket Type	3 x E26
Cable Type	3 x 1,5m
Colour	Black
Canopy Size	990mm x 150mm x 25mm (39" x 5 ⁷ / ₈ " x 1")
Socket Size	Ø50 x 80 mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10167





The rectangular canopy with five branches from the Lucentia series offers contemporary elegance. Measuring 3 meters long, it easily adapts to various spaces. Its E26 neck allows the use of compatible bulbs, thus harmonizing the lighting with the style of the series. Its adjustability ensures an arrangement perfect as needed.

Voltage	120vAC
Power	57w max.
Socket Type	5 x E26
Cable Type	5 x 1,5m
Colour	Black
Canopy Size	990mm x 150mm x 25mm (39" x 5 ⁷ / ₈ " x 1")
Socket Size	Ø50 x 80 mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10168





Discover the superb square canopy with three branches from the Lucentia series. With its 3 meters of adjustable length according to your needs, it offers unparalleled elegance and functionality. Featuring an E26 neck compatible with series bulbs, it will illuminate your space with style and sophistication.

57w max.
3 x E26
3 x 1,5m
Black
325 x 325 x 25mm (12 ³/4" x 12 ³/4" x 1")
Ø50 x 80 mm (Ø 2" x 3 ½8")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10170





The square canopy with five branches of the series Lucentia offers contemporary elegance. Measuring 3 meters long, it easily adjusts according to the needs. Its modern design is completed with an E26 neck, compatible with bulbs in the range. A perfect fusion of functionality and style for any space.

Voltage	120vAC
Power	57w max.
Socket Type	5 x E26
Cable Type	5 x 1,5m
Colour	Black
Canopy Size	325 x 325 x 25mm (12 ³/4" x 12 ³/4" x 1")
Socket Size	Ø50 x 80 mm (Ø 2" x 3 ½")

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10173





Discover the magnificent nine-branched square canopy from the Lucentia series. Measuring 3 meters long, it adapts to your needs thanks to its flexible adjustment. Its elegant design ends with an E26 neck compatible with bulbs in the series. A perfect fusion of functionality and contemporary aesthetics.

Voltage	120vAC	
Power	57w max.	
Socket Type	9 x E26	
Cable Type	9 x 1,5m	
Colour	Black	
Canopy Size	325 x 325 x 25mm (12 ³/4" x 12 ³/4" x 1")	
Socket Size	Ø50 x 80 mm (Ø 2" x 3 ½")	

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	10176





Discover the magnificent cube lamp holder from the Lucentia series. Its elegant design with an E26 neck compatible with bulbs in the series. Its sleek design allows you to transform each of our globs into a work of art. A perfect fusion of functionality and contemporary aesthetics.

Voltage	120vAC
Power	20w max.
Socket Type	E26
Cable Type	1,5m cable with switch
Colour	Black
Size	120 x 120 x 120mm (1" x 1" x 1")
Weight	800 grams

TT	-	SERIE	-	MODEL
TT	-	GLOB	-	99996



TITANIUM TECHNOLOGY

2323, boulevard Versant Nord #111 Québec, QC G1N 4P4 CANADA

> Toll free (866)-476-8115 www.titaniumtechnology.com sales@titaniumtechnology.com www.facebook.com/titaniumtechnologie

TITANIUM TECHNOLOGY USA

NEWARK DE 19713

Toll free (866)-476-8115 ext.203 www.titaniumtechnology.com sales@titaniumtechnology.com www.facebook.com/titaniumtechnologie